

Brand Name and/or No.	Type	Gauge	Crown Width (inches)	Shank Diameter	Length	Uses (See Codes)	Characteristics
Blum Inc., 7733 Old Plank Road, Stanley, NC 28164 Tel: (704) 827-1345 Fax: (704) 827-0799							
RTA Assembly Fittings	Cam-lock type		25mm, various	1/4" various	1/2"-1-1/4"	1, 3, 4, 5, 7	Recessed cam-type fastener in various colors. Surface mount cam fastener
Chicago Dowel Co. Inc., 4700 W. Grand Ave., Chicago, IL 60639 Tel: (773) 622-2000 or (800) 333-6935 Fax: (773) 622-2047							
Wood Dowel Pins	Birch					1, 4, 5, 11	All U.S. and metric sizes available
Pre-glued Dowel Pins	Birch					1, 4, 5, 11	All U.S. and metric sizes available
Deerwood Fasteners International, 638 Reese Drive, Conover, NC 28613 Tel: (800) 438-5146 Fax: (828) 469-1050							
Deep thread	5						
6-10			1/2-1	1-5			
Zip Drivers				#8	1"-3"	1,2,3,4,5,7,8,10,11	Flat Phillips, Recex, Square - Nibs - T17 - Zinc, Black, Lube
Draw Bolts				1/4 20	3 1/2		Hex Head Zinc
Euro Screws				6.3mm	10mm - 30mm	1,3,11	Pozi, Flat Head, Nickel
RTA Confirmat				5mm, 7mm	40mm - 50mm	1,2,3,4,5	Pozi, Flat Blunt Point, Sharp Point, Nibs Zinc
Face Frame/Pocket				#6, #7, #8	1" - 1 1/2"	1,2,3,4,5,7,8	Square, Phillips, Coarse, Fine, Hi-Lo, Lube, Black
Installation Screw				#8, #10	2 1/2" - 3"	11	Phillips, Recex, Truss Head Zinc, Painted, Type 17, Drill Point, Wood or Metal
Stainless Steel Deck				#7, #8, #9, #10, #12	1 1/4" - 6"	1-11	Flat Head Square with Nibs Type 17
Drawer Fron Adjuster				#8	7/8" - 1 1/2"	1,4,5,8,11	Modified Truss Phillips, Recex, Type 17, Zinc
Hinge Screws				#4, #5, #6, #7, #8	1/2" - 1 1/4"	1,3,4,5,8,9	All head styles, various finishes, thread styles, Type 17
Machine Screws				#8 - 32, M4	3/8" - 2" 15mm - 40mm		Drawer Pulls, Knobs, Zinc
Assembly Screws				#8, #10		1,2,3,4,5,8,9,10,11	Flat Phillips, Square, Recex, Black, Zinc Lube Type 17
Driver Bits, Holders					1" - 6"		Full Line Robertson 2 piece, Phillips
WoodMax Plus				#8	1" - 3"	1,2,3,4,5,7,8,11	Serrated Tooth Thread Flat, Lube, Type 17
Excel Dowel & Wood Products Inc., 800 Baker Drive, Itasca, IL 60143 Tel: (630) 775-9300 Fax: (630) 775-0100							
Dowel Pins	Spiral			1/4" - 3/4"	1" - 5"	11	Birch
Dowel Pins	Fluted			1/4" - 3/4"	1" - 5"	11	Birch
Dowel Pins	Metric			5mm - 12mm	1" - 5"	11	Birch
Fastec Industrial Corp., 3603 CR 6, Elkhart, IN 46514 Tel: (574) 262-2505 Fax: (574) 266-0123							
Quadrex	Sq-Phillips comb.	All		All	All	1-12	
Häfele America Co., 3901 Cheyenne Drive, Archdale, NC 27263 Tel: (800) 423-3531 Fax: (336) 431-3831							
Minifix PAS	Cam lock		15mm	7mm	Varies	1, 3, 4, 5, 7	Available in various finishes. Patented Centric Sphere design.
Rafix PAS	Cam lock		20mm	5 - 7mm	Varies	1, 3, 4, 5, 7	Available in various finishes. Plastic and metal housings.
Pushfix PAS	One piece connector		20mm	7mm	Varies	1,3,4,5,7	Plastic housing w/ metal screw. For 5mm system hole boring & groove mounting. Precision Assembly System (PAS)
Confirmat PAS	Screw		Varies	Varies	Varies	1, 3, 4, 5, 7	1-piece connector, deep threads. Different head designs & finishes with cover caps available
Maxifix Universal Connector	Cam and bolt connector		35mm	M6/M8	Varies		Strong connections of wood and wood compounds
Multi-Purpose Connectors JCB	Threaded		Varies	M6 & 1/4 - 20	30-120mm	1, 3, 4, 5, 7, 8, 11	Complete line incl: anti bronze and black oxide finishes
Hinge and drawer slide screws	Flt, Ov, Pan head		Varies	2.0 - 4.8mm	10.5 - 16.0m	4, 5	Deep recess for reduced cam out aggressive threads for full length available for 5mm/3mm holes
Drawer front attachment screw	Truss/washer head			4.0mm	9/16 - 1-7/8	1, 3, 4, 5, 8	Zinc plated, cutting thread for drawer fronts, backs, brackets
SPAX	Square/Pozi Recess	Varies	Varies	5,6,8,10,14	1/2" - 3" varies		No predrilling, synthetic coated, grab threads, cutting threads
Hospa Screws	Flathead, panhead	Varies	Varies	5, 6, 8, 9, 10	1/2"-4" Varies	Particleboard 1	Designed with a 40° thread pitch.
Face Frame Screws	Panhead	Varies	Varies	6, 8	1 1/4", 1 1/2"	Face frame 4/5	Square or Phillips recess Type 17, flat surface underhead, waxed
Zip-R Screws	Flathead, panhead	Varies	Varies	6, 8	1/2" - 3"	PB 1, 3, 4, 5	Special deep thread, type 17 cutter, nibs for built-in countersink
Trimhead Screw	Flathead	Varies	Varies	6	1", 1 5/8", 2-1/4"	1, 3, 4, 9	Very small head for fastening w/o the appearance of the head
Rear Panel Push Screw	Panhead	Varies	Varies	2	3/4"	PB 1, 9	Designed for either tap-in or screw-in panel.
Stainless Steel Screw	Flathead	Varies	Varies	6, 8, 10	5/8" - 2 3/4"	2, 5, 8, 9, 10, 11	Steel with special cutting threads. High grade.
Cap Socket Screw	Flathead	Varies	Varies	9	1" - 3 1/8"	1, 3, 4, 5	Special deep recess for deep countersink & cover cap
Rear Panel Screw	Trusshead	Varies	Varies	5, 6, 8	5/8" - 1 1/2"	4, 5, 11	Unique flange head for extra grip on panel
Decorative Hardware, Attachment Screw	Varies		Varies	Varies	Varies	11	Complete line incl. pins 8/32, & breakoff screws
Installation Screw	Trusshead	Varies	Varies	Varies	Varies	1, 5, 11	Heavy gauge steel, with auger threads and truss type
EuroScrew/Varianta	Varies	3mm - 5mm	Varies	Varies	Varies	1	European system holes for mounting slides and hinges
Wall Anchors/E-Z						6	Self-drilling anchors for attachment
Dowel pins	Fluted			1/4" - 3/4", 5-12mm	1" - 5"	11	Birch, laser sorted
Onefix	One-piece connector		20mm	8mm	N/A	1, 3, 4, 5, 7, 9	1-piece connector, various colors, plastic
Maxifix E	Cam and bolt		35mm	10mm	Varies	1, 3, 4, 5, 7, 9	Countertop, work surface connector
Rafix SH	Cam Lock		N/A	34mm	50mm	1, 3, 4, 5, 7, 9	With or without ridges, various colors
TAB-A	For honeycomb panels		18mm	15mm	Varies	11	For honeycomb panels with or without panel pins
Hanger Bolt & Stud Co., 165 W. New Road, Greenfield, IN 46140 Tel: (800) 537-7925 Fax: (800) 994-2658							
Bed Pins	Chamfered			0.250", 0.294", 0.365"	5/8" to 4"	1, 4, 5, 7, 11	Plain steel, zinc plated. Standard and made to order
Dowel Screws				#6-18 to 1/2-6	3/4" to 8"	1, 4, 5, 7, 11	Plain steel, zinc plated, stainless, brass. Std. & special lengths.
Hanger Bolts	Fully threaded, plain center, knurled center			#6-32 to 1/2-13	5/8" to 14"	1, 4, 5, 7, 11	Plain steel, zinc plated, stainless, brass. Standard and special lengths.

USES CODE: Numbers in "Uses" column are keyed to descriptions below:
 1. Particleboard 3. Interior Plywood 5. Hardwoods 7. Butt Joint Fastening 9. Interior Paneling 11. Other
 2. Exterior Plywood 4. Softwoods 6. Drywall 8. Hardboard 10. Exterior Siding



The resource for woodworking equipment, supplies and services trends



COMPONENTS, HARDWARE & ASSEMBLY

FASTENER REFERENCE GUIDE

Brand Name and/or No.	Type	Gauge	Crown Width (inches)	Shank Diameter	Length	Uses (See Codes)	Characteristics
Hanger Bolt & Stud Co., 165 W. New Road, Greenfield, IN 46140 Tel: (800) 537-7925 Fax: (800) 994-2658 Continued							
Headless Lag				#6-18 to 1/2-6	3/4" to 14"	1, 4, 5, 11	Plain steel, zinc plated, stainless, brass. Made to order
Headless Pins	Straight, chamfered, & diamond knurl, angular rings, fettered			0.091 to 0.442"	3/8" to 6"	1, 4, 5, 7, 11	Plain steel, zinc plated, stainless, brass, aluminum. Standard and made to order
Rail Bolts	Cone point, dog point			5/16-18	3-1/2" & 5"	1, 4, 5, 7, 11	Plain steel, zinc plated, stainless, brass. Also special lengths
Straight Rods				0.115 to 0.442"	6" to 44"	1, 4, 5, 11	Plain steel, zinc plated, stainless, brass. Made to order
Studs thread	Fully threaded, double-end, single-end			#4-40 to 1/2-13	3/8" to 6"	1, 4, 5, 11	Plain steel, zinc plated, stainless, brass, aluminum. Rolled w/ straight or chamfered ends
Threaded Rods	Double-end, single-end			#6-32 to 1/2-13	6" to 44"	1, 4, 5, 11	Steel, zinc plated, stainless, brass, alum. Custom made
Hettich America L.P., 6225 Shiloh Road, Alpharetta, GA 30005 Tel: (800) 438-8424 Fax: (800) 627-5152 hettichamerica.com							
Rastex	15mm and 25mm connecting fitting		15mm, 25mm	15mm, 25 mm	Various	1, 5, 8, 11	Available in metal and plastic with wide dowel selection.
VB 35/36	Connecting fitting		Varies	20mm	12.5mm, 14mm	1, 5, 8, 11	Available in metal and plastic with wide dowel selection
VB 54	Shelf contour		Varies	20mm	12.5mm, 14mm	1, 5, 8, 11	All metal housing with metal dowel pin
Directka	Panel connector		Varies 6, 8, 10mm	38mm, 50mm	12.5mm, 14mm	1, 5, 8, 11	All metal connecting screw for joining panels
Everfix	Drawer and panel connector			8mm	10.5mm	1, 5, 8, 11	Plastic and metal panel connector
Hoffmann Machine Co. Inc., 1386 Drexel Road, Valdese, NC 28690 Tel: (828) 430-4510 or (866) 248-0100 Fax: (828) 430-4620							
Dovetail Joining System	Plastic and Wood Fastener	W-1, W-2 W-3, W-4	1/4" to 1"	1/4", 8mm	1/4" to 4" 52 different lengths avail.	Joining between 0 and 180°, infin. adjust. 1-11	Automatic alignment of the joint (miter or butt joint) assembly by hand or automatically, tapered dovetail joining inserts joint very tight together
Dovetail shape							
ITW Fastex Engineered Solutions, 195 Algonquin Road, Des Plaines, IL 60016 Tel: (847) 299-2222 Fax: (847) 390-6183							
Freezer Locks	Facemount and edgemount styles	Var.				11	Plastic and metal locks eliminate lock freezeup
Christmas Tree Clips	Single or double head, double end and quarter turn styles	Var.	.327-1.260	.120-.322	.429-2.670	1-6, 8-11	Ribbed shank ensures easy installation and secure holding
Treelock Fastener	Ball and receptacle fasteners	Var.		.250-.437		1, 7	Ball head snaps into plastic receptacle to securely lock access panels. Easy panel opening with moderate press
Fastex Fitting	KD					1, 7	Plastic inserts and Hi-Lo Phillips head screw provide right angle assembly of panels
Kreg Tool Co., 201 Campus Drive, Huxley, IA 50124 Tel: (800) 447-8638 or (515) 597-2234 Fax: (515) 597-6401							
Kreg Standard Pocket Screws	Type 17	-	-	#6	1", 1 1/4", 1 1/2"	5, 7 face frame	Pocket screw joinery. Hardened type 17 Self-drilling. Dry lube finish. Square drive, 2 thread choices
Kreg Maxi-Loc	Washer head pocket screws	-	-	#8	1 1/4", 1 1/2", 2", 2 1/2"	1, 4, 3, 11 face frame	Pocket screw joinery. Type 17 self-drilling. Auger point. Dry lube finish. Square drive, 2 thread choices
Kreg Blue-Kote Screws	Coarse thread Maxi-Loc head	-	-	-	1 1/4", 1 1/2", 2", 2 1/2"		
Kreg Stainless Screws	Maxi-Loc head	-	-	-	1 1/4", 1 1/2", 2 1/2"		
Modular Systems Inc., 169 W. Park St., Fruitport, MI 49415 Tel: (231) 865-3167 Fax: (231) 865-6101							
Modez	Spring steel					1-9	Fasteners.
Naylor Ind., 9852 Crescent Center Drive, Ste. 804, Rancho Cucamonga, CA 91730 Tel: (800) 262-9567 or (909) 477-6830 Fax: (909) 477-6831							
Particleboard Screw	Flt hd/nibs, ph or Sq Dr Type 17			8	1" - 3"	1, 6	Special nibs under head act as built-in countersink. Threads allow good bite in particleboard. No pre-drilling
Particleboard Screw	Bugle head, Ph			6, 7, 8	1" - 1-5/8"	1, 6	Designed with wide spaced thread for use in particleboard
Hardwood Framing Screw	Pan head Type 17 Pt or Sq Dr			6	1-1/4" - 1-1/2" 2" - 3"	5	TY 17 point eliminates wood splitting. 1/2 thread gives good drawing power. No pre-drilling
Installation/Drywall Screw	Bugle head, Ph			7 8 10	1" - 2" 2-1/4" - 3" 3-1/2" - 6"	5, 6	15 threads per inch and twinfast threads give holding power and quick penetration. No pre-drilling required
Draw Bolt/Tight Joint Fastener	Bolt/Nut & Washer Assembled				3-1/2"	7	Makes mitre and butt joints. Easily adjustable. For countertops
Hinge Screws	FLT, OV & Pan Heads			5, 6	3/8" - 3/4"	4, 5	Twinfast threads allows fast penetration. No pre-drilling
Particleboard Hinge Screws	FLT Pan			6	1/2", 5/8", 3/4"	1	Wide spaced angled threads for use in particleboard
Outwater Hardware Corp., 132 Beaver Brook Road, Lincoln Park, NJ 07035 Tel: (800) 631-2443 Fax: (973) 317-1444							
Bits	Screwdriver	1/4" hex			1"-2"		Phillip or square recess
Screws	Machine			8/32	1/2"-3"		Truss head combination cross slot
Screws	Wood, particleboard			#8	1/2"-3"		
Screws	Cabinet, sheet metal			#4, 5, 6, 8	3/8"-1-1/2"		Flat, oval, pan head
Screw Cover Caps	Plastic			#6, 8, 10			Variety of types and colors
Draw Bolt/Tight Joint Fastener	Bolt/nut			1/4"	3-1/2"-4"		Makes perfect butt and mitre joints in countertops
Outwater Plastics Industries, 24 River Ridge Rd., P.O. Box 500, Bogota, NJ 07603 Tel: (800) 631-8375 Fax: (800) 888-3315							
Plastic Fasteners	All	Various	Various	Various	Various	1, 2, 4, 5, 6, 8, 11	Also available in nylon
Tee Nuts	Wood/ PB assembly			1/4" - 3/8"		1, 3, 4, 5, 8, 11	
Hanger Bolts	Various			1/4-20 to 5/16 - 18	1 3/4" - 4"	1, 3, 4, 5, 6, 7, 8, 11	
Locking Dowel Pins	Wood/ PB assembly			6mm, 8mm	1 3/8" - 1 1/2"	1, 3, 4, 5, 7, 8, 11	All nylon
Screws	Wood/ PB assembly	Various		Various	Many	1, 3, 4, 5, 8, 11	Heat treated black. Std 82°, countersunk Phillips head
KD Fasteners	Many					1, 3, 4, 5, 8, 11	For various applications
Connectors/Panel	Panel					1, 3, 4, 5, 8, 11	Easily attaches display panels. Adjusts with Hex Key. Reusable. Panel sizes: 1/8" - 3/4"
Corner Brace	Panel					1, 3, 4, 5, 8, 11	All zinc construction
Connecting Bolts	Post & Screw			Various	Various	1, 3, 4, 5, 8, 11	
Pam Fastening Technology Inc., 2120 Gateway Blvd., Charlotte, NC 28208 Tel: (704) 394-3141 Fax: (704) 394-9339							
PAM/BREVETTI	PV				6mm-12mm	4	Staples in
PAM/BREVETTI	CP				6mm-12mm	5	Staples in
PAM/BREVETTI	VC				4mm-16mm	4	Staples in
PAM/BREVETTI	NR				4mm-16mm	5	Staples in
PAM/BREVETTI	VR				4mm-16mm	4, 5	Staples in

USES CODE: Numbers in "Uses" column are keyed to descriptions below:
 1. Particleboard 3. Interior Plywood 5. Hardwoods 7. Butt Joint Fastening 9. Interior Paneling 11. Other
 2. Exterior Plywood 4. Softwoods 6. Drywall 8. Hardboard 10. Exterior Siding

Brand Name and/or No.	Type	Gauge	Crown Width (inches)	Shank Diameter	Length	Uses (See Codes)	Characteristics
Pan American Screw, 630 Reese Drive S.W, Conover, NC 28613 Tel: (800) 951-2222 Fax: (828) 466-0070							
Woodmaster	Serrated tooth thread			6, 8, 10	1/2" - 4"	1, 2, 3, 4, 5, 7, 8, 11	Fl, RW, Mod Pan, Nibs, Rexec drive, Lubricized, Zinc
MAXX	T-17, Deep Thread			5, 6, 7, 8, 10	1/2" - 4"	1, 2, 3, 4, 5, 7, 8, 10, 11	Flat, RW, Mod Pan, Rexec, Ph, Robertson, nibs, Lubricized, Zinc Black Oxide
Kwikin/Twin Fast	Twin Thread wood			8, 10, 12, 14	1-1/4" - 4"	5, 8	Flat, RW, Robertson, Lube, Zinc
Face Frame, Pocket Hole	T-17, Hi-Lo, Fine Thd			6, 7, 8	1-1/4", 1-1/2"	1, 2, 3, 4, 5, 7, 8	Mod Pan, Robertson, Rexec
Lo Root	Deep thread screw			5, 6, 7, 8, 10, 12, 14	3/8" - 4"	1-5, 7-11	Fl, RW, Pan, Truss, Rexec, Robertson, Ph
Slide Screws	deep thread, Fine Thread			5, 6, 8	3/8" - 3/4"	1, 2, 3, 4, 5	Flat, Mod Truss, Truss, undercut, Zinc, Lube
Hinge/Hardware	deep thread, Fine Thread			4, 5, 6, 8, 10	3/8" - 1-1/4"	1, 2, 3, 4, 5	All heads, decorative finishes
Machine Screws	Truss combo			#8-32	3/8" - 2"		Door & drawer, knobs & pulls
Draw Bolts	M/S			1/4 20	3-1/2" - 4"		Hex Head Zinc
QuickScrews International, 5830 Las Positas Road, Livermore, CA 94551 Tel: (925) 371-8215 or (800) 743-6916							
Drive Bits	Full line						Phillips, slotted, Pozi, square and more
Pocket Hole Screws	Modified Pan Head Type 17 auger point			#6, #7, #8	1", 1-1/4", 1-1/2"	1, 2, 3, 4, 5, 7, 8	Square, Phillips; 5 thread choices, 3 head styles, plain, for all types of wood. Plain, zinc, zinc yellow
QuickScrews	Course Thread Type 17 auger point			#5, #6, #8, #9, #10, #12	7/16" - 6"	1, 2, 3, 4, 5, 8, 9, 10	Phillips, square, combo, flat, pan, RW head; nibs, Type 17; zinc, black, plain
QuickCutters	Patented Double Auger Shank, Type 17 auger pt			#7, #8, #10	5/8 - 6"	1, 2, 3, 4, 5, 8, 9, 10	Phillips, square, combo, flat, RW head, zinc, plain, stainless, nylon 1000
SlideScrews	Coarse Thread, Sheet Metal Thread			#6, #8	3/8 - 3/4"	1, 2, 3, 4, 5, 8, 9, 10	Undercut #5 head, truss head, RWH, pan head, zinc, black, combo drive & Phillips drive
HingeScrews	Coarse Thread, Twinfast, Sheet Metal Thread.			#4, #5, #6, #8	5/8 - 1-1/4"	1, 2, 3, 4, 5, 8, 9, 10	All head styles, Type 17, zinc, antique brass bright brass
EuroScrews	Nickel Plated			6.3mm	10mm - 25mm	1, 3	Pozi flat head, Phillips flat head. Square drive
MachineScrews	Combo-Truss Head			#8-32, M4	3/8 - 2", 22-50mm		Zinc plated, for cabinet/drawer handles and knobs
ConnectingScrews	Pozi Flat w/ Hole, Hex Drive			5mm, 7mm	50mm	1, 2, 3, 4, 5	Pozi; zinc, blunt point, sharp point, nibs
DrawBolts	Draw bolts			1/4 20	3-1/2", 4"	1, 2, 3, 4, 5, 7, 8	Hex head, zinc
QuickInserts	Hex Drive Insert Nuts			Various	13mm - 25mm	1, 2, 3, 4, 5, 8	Zinc alloy die cast, flange
KnobScrews	Wooden Knob Installation Screws			#12	1 - 1-3/4"	4, 5	Phillips-slotted RWH, SMS "B" zinc
QX2	Multi-purpose Cabinet Installation Screws			#14	2-1/2 - 3-1/2"		Designed for wood and metal studs
Installation Screws	Round Washer, Pan & Truss Head Self Drilling into Metal			#8, #10, #12, #14	2-1/2" & 3"	11	
RPC-Terry Hardware, 14600 Arminta St., Van Nuys, CA 91402 Tel: (818) 787-9000 or (800) 228-3779 Fax: (818) 780-3168							
Screws	Wood, sheet metal, connector		All head sizes	#3 thru #12	3/8-3	1, 5, 8, 9, 11	Plain & plated finishes. Special KD applications also avail. Finish washers, KD connectors & fittings, hanger bolts
S & K Products Co., 4540 US Rte. 127, Coldwater, OH 45828 Tel: (419) 268-2244 Fax: (419) 268-2002							
Angles, braces, mending plates							Hardware avail. in various gauges & finishes; used primarily in hardwood furn., RTA & some metal fabricated items
Chair and table leg-mounting brackets						Same as above	
Knock-down table & cabinet leg brackets						Same as above	
Saunders Bros., P.O. Box 1016, Westbrook, ME 04092 Tel: (800) 343-0675 Fax: (207) 854-1243 saundersbros.com							
Dowel Pins	Multi-groove			1/4"-3/4"	As Required	1, 3, 4, 5, 7	Wood-hard-KD
Dowel Pins	Multi-groove			5mm-12mm	As Required	1, 3, 4, 5, 7	Wood-hard-KD
Dowel Pins	Spiral groove			1/4" - 3/4"	As Required	1, 3, 4, 5, 7	Wood-hard-KD
Dowel Pins	Spiral groove			5mm-12mm	As Required	1, 3, 4, 5, 7	Wood-hard-KD
Dowel Pins - Preglued	Multi-groove	-	-	1/4"-3/4"	As Required	1, 3, 4, 5, 7	Wood-hard-KD.
Dowel Pins - Preglued	Multi-groove	-	-	5mm-10mm	As Required	1, 3, 4, 5, 7	Wood-hard-KD.
Dowel Pins - Preglued	Spiral groove	-	-	1/4"-3/4"	As Required	1, 3, 4, 5, 7	Wood-hard-KD.
Dowel Pins - Preglued	Spiral groove	-	-	5mm-10mm	As Required	1, 3, 4, 5, 7	Wood-hard-KD.
Sidney Scheinert & Son Inc., 404 Midland Ave., P.O. Box 527, Saddle Brook, NJ 07663 Tel: (201) 791-4600 Fax: (201) 791-8551							
Screws	Sheet mtl, mach-grade PB	All sizes	All sizes	All sizes	Up to 4 in.	1-10	Steel, plated, stainless.
Drywall screws	Coarse			6 - 8		1 - 10	
Drywall screws	Fine			6 - 8		1 - 10	
Particleboard screws	Flat, Pan, Oval			5 - 12		1 - 10	
Twinfast Wood Screws				6 - 14		1 - 10	
Sheet Metal Screws	Flat, Pan, Oval, Truss			2 - 14		1 - 10	
Machine Screws	Flat, Pan, Oval, Truss, Round		2 - 56 through	3/4 - 10	1 - 10		
Euro Screws				6mm		1 - 10	
Spotnails, 1100 Hicks Road, Rolling Meadows, IL 60008 Tel: (800) 873-2239 Fax: (888) 369-2588							
Nails	All Types	-	-	.080-.135	5/8-3-1/2	1-5, 7-11	Galv., painted, coated, bright, etc.
Brads	All Types	15, 16, 18, 23	-	-	1/2-2-1/2	1-5, 7-11	Galv., painted, coated, bright, etc.
Corrugated Fasteners	Strips	-	-	-	1/4-1/2	1-5, 7-11	
Pins	Coil & Stick	12, 18-	-	.045-.105	3/4-3-1/2	1-5, 8	Galv.
Titus Plus, 800 5th Ave., Ste. 4100, Seattle, WA 98104 Tel: (253) 872-2829 Fax: (253) 872-2827							
Screws & covers	Particleboard	8, 9, 11	1/2"	-	1"-3"	1, 4, 6, 11	Case hardened black, zinc finish, 6 colors
KD Assembly Fittings	Cabinets & Furniture	-	25mm, various	-	-	1, 3, 4, 5, 7	Plastic, nylon, 6 colors and zinc die cast
Wood Technology Inc., P.O. Box 1301, Pittsboro, NC 27312 Tel: (919) 542-6300 Fax: (919) 542-2727							
Connecting screw 1218-1223	Steel		10mm	5mm	Varies	1, 3-5, 8, 11	Chrome & brass connects 2 side by side panels
Connecting screw 1228-1234	Steel/plastic		16mm	8mm	Varies	1, 3-5, 8, 11	White, black, brown with steel threads, connects 2 side by side panels
Cross bushings 1250-1251	Steel			10mm	12-14mm	1, 3-5, 8, 11	Zinc plated M6 thread
Screws 1255-1272	Steel		14mm	M6	20-50mm	1, 3-5, 8, 11	Nickel, brass, bronze for cross bushings
Connecting screws with cover caps 1280-1284	Steel		10mm	7mm	40-50mm	1, 3-5, 8, 11	Zinc plated countersunk with cross slot Phillips Posidrive with hole for cap
Eccentric Mini 1294-1295	Zinc/steel cam/bolt		15mm	7mm	Varies	1, 3-5, 8, 11	RTA, various connections
Eccentric 25 1294-1295	Zinc/steel cam/bolt		25mm	7mm	Varies	1, 3-5, 8, 11	RTA various connections
T-Nuts 4090-4091	Steel			M8 & M10	Varies	1, 3-5, 8, 11	
Inserts	Steel & plastic			Varies	Varies	1, 3, 5, 7, 8, 11	Threaded
Bed connectors	Steel	Varies			Varies	1, 3, 4, 7, 8, 11	Easy surface mount strong KD

USES CODE: Numbers in "Uses" column are keyed to descriptions below:
 1. Particleboard 3. Interior Plywood 5. Hardwoods 7. Butt Joint Fastening 9. Interior Paneling 11. Other
 2. Exterior Plywood 4. Softwoods 6. Drywall 8. Hardboard 10. Exterior Siding