

Model Name and/or No.	Type of Finish	Principal Use							Supplier/Manufacturer Comments
		Fill	Prime	Stain	Seal	Topcoat	Underlay	Other	
<b>Axon Products Inc., 307 Echelon Road, Greenville, SC 29605 Tel: (803) 299-1331</b>									
ELVOC Coatings	16	■	■	■	■	■	■	■	Extremely low VOC, high solids
ELVOC UV Coatings	13, 17	■	■	■	■	■	■	■	Clear & pigmented
ELVOC Polyesters	17	■	■	■	■	■	■	■	Wet look, high gloss, excellent physical characteristics, outstanding chemical and scratch resistance; rapid dry and ease of sanding
ELVOC Aqua	17	■	■	■	■	■	■	■	Clear, solvent resistant, high quality water finishes, non-flammable, formaldehyde free
Polyurethanes	17	■	■	■	■	■	■	■	Wet look high gloss to matte finishes. Characterized by great durability; chemical resistance, flexibility, hardness and repairability
UV Finishes	1, 17	■	■	■	■	■	■	■	Extreme durability, rapid cure
Industrial finishes	17	■	■	■	■	■	■	■	Formulated for automatic equipment lines to meet customer requirements
<b>Becker Acroma Inc., P.O. Box 3660 Brantford, ON N3T 6H2 Canada Tel: (519) 758-1508 Fax: (519) 758-1490</b>									
Intro	1, 2					■			Pre-catalyzed self seal clear lacquer
Fiesta	1, 2					■			Post-catalyzed self seal clear lacquer
Wiping Stain	5			■					Fast dry wood stain
Matador	1, 3, 8					■			High-solids wood paint
Unisurfac	4, 12	■	■						High solids primer for wood and MDF
AKVA Line	1, 2					■			Self seal water based clear lacquer
AKVA Topp	1, 8					■			Water based high solids wood paint
AKVA Surf	4, 12	■	■						High solids, water based primer for wood and MDF
Uvett Sealer	13	■							UV curable filler & sealer
Uvett Ultra	1							■	UV curable topcoat
Innovat	1, 6							■	Post catalyzed conversion varnish
Aqua Chroma				■					Waterborne stain system
Facett LV								■	Pre-catalyzed lacquer - low VOC, HAPS free
<b>M.L. Campbell, 224 Catherine St., Ft. Erie, ON L2A 5M9 Canada Tel: (800) 364-1359 Fax: (800) 601-9055</b>									
Quick Build	1, 2							■	Fast dry nitrocellulose finish
Magnalac	1, 2					■			Precatalyzed clear or pigmented finish system
Magnamax	1, 2					■			HAPs Solvent Free High-performance precatalyzed clear finish system
Duravar	1, 6					■			HAPs Solvent Free Postcatalyzed European finish
Krystal	1, 6					■			HAPs Compliant High performance conversion varnish
Ultrastar	1, 17					■			Waterborne Clear Blend of acrylic/polyurethane
Polystar	1, 17					■			Waterborne Pigmented Blend of acrylic/polyurethane
Resistant	1, 6					■			HAPs Solvent Free Pigmented conversion varnish
Clawlock	4			■					HAPs Solvent Free Special hi-build primer/undercoater for MDF board
Woodsong II	5			■					Fast dry professional wood stains
<b>Gemini Coatings Inc., P.O. Box 699, 2300 Holloway, El Reno, OK 73036 Tel: (405) 262-5710 Fax: (405) 262-9310</b>									
Stains	5					■			HAPs compliant Oil stains, lacquer stains, stain Intermix system
Sealers	2, 6					■			HAPs compliant Catalyzed, precatalyzed and conventional sealers
Acrylic finishes	1							■	HAPs compliant Crystal clear, non-yellowing clear & white acrylic systems
Precatalyzed	1							■	HAPs compliant Precatalyzed clear & white systems
Ultra lacquer conversion coating	1							■	HAPs compliant High solidsclear & white precatalyzed lacquer, 60-day pot life
Conversion varnish	6, 1					■			HAPs compliant Clear & white conversion varnish
Premium conversion varnish	6,1					■			HAPs compliant High solids clear & white conversion varnish, virtually HAPs free, extended pot life
Titanium Waterborne	1							■	HAPs compliant Complete line of waterborne coatings that perform like solvent-based coatings
Titanium UV curable	1, 13							■	HAPs compliant Complete line of UV curable coatings custom designed for equipment requirements
<b>IC&amp;S, 1833 William Penn Way, Lancaster, PA 17601 Tel: (800) 220-4305 Fax: (717) 391-6254</b>									
Ilva	Polyester	■	■	■	■	■	■	■	Excellent sanding sealers
Ilva	Acrylic	■	■	■	■	■	■	■	UV curable
Ilva	Polyurethane			■	■	■	■	■	Open-pore finishes
Ilva	13					■	■	■	
Ilva	5							■	
Ilva	4, 10	■	■	■	■	■	■	■	
<b>ICA North America, 169 Main St., West Lorne, ON N0L 2P0 Canada Tel: (519) 768-0732 Fax: (519) 768-0733 www.icaamerica.biz</b>									
FA Series	2, 5, 8, 10	■	■	■	■	■	■	■	Water-based sealers
AO Series	1, 2, 5, 8	■	■	■	■	■	■	■	Water-based topcoats
IM/LA Series	1, 4, 5, 6, 7	■	■	■	■	■	■	■	Exterior water-based
FP Series	4, 7, 8, 10, 12	■	■	■	■	■	■	■	Clear & pigmented 2K PU
OP 383 Series	1	■	■	■	■	■	■	■	Clear & pigmented 2K PU
LP Series	1, 7, 8	■	■	■	■	■	■	■	High gloss 2K PU

**TYPE CODE:** Numbers in "Type of Finish" column are keyed to use descriptions below:

1. Topcoat	4. Primer	7. Exterior Paint	10. Basecoats	13. U/V Curable Filler	16. Powder Coating
2. Lacquer	5. Stain	8. Interior Paint	11. Ink	14. Putty	17. Other
3. Enamel	6. Varnish	9. Bleach	12. Filler	15. Electron Beam Curable Coating	

## Quality

without compromise

519.768.0732

www.icaamerica.biz

- 2K polyurethanes
- Polyesters
- Water-based coatings

- Special effects
- Stain mix kits
- UV cured

Model Name and/or No.	Type of Finish	Principal Use							Supplier/Manufacturer Comments
		Fill	Prime	Stain	Seal	Topcoat	Underlay	Other	
<b>ICA North America, 169 Main St., West Lorne, ON N0L 2P0 Canada Tel: (519) 768-0732 Continued www.icaamerica.biz</b>									
PE Series	1, 4, 12, 13	■	■	■	■				Polyesters
CNA Series	5			■					Water-based stains
IN Series	5			■					Solvent-based stains
IS Series	4, 7, 8	■	■						2K isolante
UV Series	1, 4, 10, 12, 13	■	■		■	■			Various UV systems
<b>Jellico Inc., P.O. Box 11459, 829 S. 26th St., Louisville, KY 40211 Tel: (502) 772-2547 Fax: (502) 772-2552</b>									
JEL LAC	2				■	■			Nitro, acrylic, vinyls and pre cat
JEL LAC	3					■			Nitro, acrylic
JEL LAC	4		■						Nitro, vinyls
JEL LAC	5			■					Wipe, glazes, NGRs and spray
JEL VAR	6				■	■			Clears and enamels
JEL FIL	12	■							High solid pour filler
RDVU	13	■			■	■			UV top coats and fillers
<b>Konig North America LLC, P.O. Box 47314, Philadelphia, PA 19160 Tel: (215) 426-6216 Fax: (267) 345-0405</b>									
13	UV				■				Custom
13	UV					■			Custom
5	Waterborne			■					Custom
6	Waterborne					■			Custom
6	Catalyzed varnish					■			Custom
6	Catalyzed sealer					■			Custom
KO 130-143	Wax sticks - 12	■							Heinrich König & Co. 167 colors
KO 205-243	Touch-up; Markers & Pens 5			■					Heinrich König & Co. 140 colors
KO 310-311	Aerosol basecoats 10					■			Heinrich König & Co. high build & quick sanding
KO 336-365	Aerosol lacquers 2					■			Heinrich König & Co. various gloss levels
KO 150-153	Rex-Lith Fillers 12	■							Heinrich König & Co. polyester fillers; transparent, wood & white
KO 641	Polyester lacquer 9						■		Heinrich König & Co. polyester filling lacquer
<b>W. D. Lockwood &amp; Co. Inc., 81 Franklin St., New York, NY 10013 Tel: (212) 966-4046 Fax: (212) 274-9616</b>									
Lockwood's Water Stain Dry Powder, Water Soluble	5 (water soluble)			■					Transparent, soluble, penetrating. 85 stock colors for all types wood
Lockwood's Alcohol Stain Alcohol Soluble Powder	5 (alcohol soluble)			■				Lacquer colorant	For coloring lacquer. 52 stock colors. For repair refinishing & touch-up
Lockwood's Oil Stain	5 (oil soluble)			■				Glazing colorant	For use with oil based finishes. 46 stock colors
<b>Mohawk Finishing Products, P.O. Box 22000, Hickory, NC 28603 Tel: (800) 545-0047 Fax: (800) 721-1545</b>									
Heavy Body Sanding Sealer	2 (sealer, nitrocellulose)				■				Extra fast building and filling sanding sealer
High Solids Lacquer	2 (topcoat nitrocellulose)					■			High quality, high solids lacquer alcohol resistant
Wood Stain—15 Minute Dry	5			■					Wipe or spray on pigment stain may be lacquer finished in 15 minutes
Catalyzed Lacquer	12 (nitrocellulose)					■			Sprayed as a final topcoat over nitrocellulose base sealers and lacquer
Ultra II Water Based Stain	5 (dye/stain)			■					Nonflammable, ready for use, made from state of the art dyes. 10 colors. VOC compliant
Water Based Sealer	2 (sealer, water)					■			Ready for use. Environmentally safe. Excellent adhesion to wood, plastic and other finishes
Water Based Lacquer	2 (topcoat, water)					■			Ready for use. Environmentally safe. Excellent clarity. Non-yellowing gloss and satin
Nu-Coat Lacquer	2 (topcoat, nitroethane)					■			Blend of nitrocellulose and clear urethane resins. Quick drying durable. Gloss, satin and flat
VOC Compliant Sealer	2 (sealer, nitrocellulose)					■			Ready for use. Good filling, drying and leveling characteristics
VOC Compliant Lacquer	2 (topcoat, nitrocellulose)					■			Ready for use, alcohol resistant. Excellent polishing and rubbing characteristics
Vinyl Sealer	2 (sealer, nitrocellulose)					■			An exceptional clear seal coat for use with catalyzed lacquers on close grained woods
Primer/Surfacer	4 (primer, sealer)			■					Primer for metal or wood. Available in black or white
Heavy Bodied Glazing Stain	5 (highlighting stain)			■					For achieving special finish effect highlighting, color uniforming, etc.
Pour-N-Wipe	2 (topcoat)					■			Designed for "rag" or wiping application
Water-Base Pigment Wiping Stain	5					■			Wipe-on, water-base pigment stain is non-flammable, low VOC
<b>Protech Chemicals Ltd., 7600 Henri Bourassa West, St. Laurent, PQ H4S 1W3 Canada Tel: (514) 745-0200 Fax: (514) 745-5774</b>									
Nuvocoat	16							UV Curable Powder Coatings	Nuvocoat, a line of UV curable powder coatings with excellent properties and that can be formulated in a wide range of colors and textures
<b>R&amp;D Coatings Inc., P.O. Box 418, McKees Rocks, PA 15136 Tel: (412) 771-8110 Fax: (412) 771-9001</b>									
Anti-Scrath Topcoat	1					■			
Sanding Sealer	17					■			
Sandable Filler	13	■							
Water-based primer	14		■						
Abrasion Resistant Sealer	17					■			
Water-based Stain	5					■			
<b>The Sherwin-Williams Co., 101 Prospect Ave., N.W., Cleveland, OH 44115 Tel: (800) 524-5979 or (216) 566-2000 Fax: (216) 566-1293</b>									
Sher-Wood LoVoc Lacquer	1, 2 - Nitrocellulose				■	■			Formulated to meet federal HAPS regs, and VOC regs
Sher-Wood LoVoc Sealer	4 - Nitrocellulose					■			Formulated to meet federal HAPS regs, and VOC regs
Sher-Wood PreCat Lacquer	1, 2 - Nitrocellulose				■	■			Fast drying high-performance conversion lacquer
Sher-Wood Acrylic Conversion Coating	1, 2 - Acrylic				■	■			Acrylic conversion coating HAPS free non-yellowing propertie
Sher-Wood Wiping Stain	5 - Solvent based				■				Spray/Wipe - Full color line
Sher-Wood BAC Wiping Stain	5 - Solvent-Based				■				Wipe - Full color line
Sher-Wood W/R Wiping Stains	5 - Water based				■				Low VOC - Full color line
Sher-Wood Lacquer Sanding Sealer	2, 4 - Nitrocellulose		■			■			General purpose - Fast drying
Sher-Wood Vinyl Sanding Sealer	2, 4 - Vinyl type		■			■			Good moisture resistance, Clear and White for KCMA applications
Sher-Wood Finishing Lacquer	1, 2 - Nitrocellulose				■	■			General purpose - Fast drying
Sher-Wood Moisture Resistant Lacq.	1, 2 - Alkalyd-Nitrocellulose				■	■			Excellent moisture resistance

**TYPE CODE:** Numbers in "Type of Finish" column are keyed to use descriptions below:

- |            |            |                   |               |                                   |                    |
|------------|------------|-------------------|---------------|-----------------------------------|--------------------|
| 1. Topcoat | 4. Primer  | 7. Exterior Paint | 10. Basecoats | 13. U/V Curable Filler            | 16. Powder Coating |
| 2. Lacquer | 5. Stain   | 8. Interior Paint | 11. Ink       | 14. Putty                         | 17. Other          |
| 3. Enamel  | 6. Varnish | 9. Bleach         | 12. Filler    | 15. Electron Beam Curable Coating |                    |

Model Name and/or No.	Type of Finish	Principal Use							Supplier/Manufacturer Comments
		Fill	Prime	Stain	Seal	Topcoat	Underlay	Other	
<b>The Sherwin-Williams Co., 101 Prospect Ave., N.W., Cleveland, OH 44115 Tel: (800) 524-5979 or (216) 566-2000 Continued</b>									
Sher-Wood CAB-Acrylic Lacquer	1, 2 - CAB-Acrylic								Excellent resistance to yellowing - Clear and whites
Sher-Wood Catalyzed Lacquer	1, 2 - Catalyzed Lacquer								Better resistance properties than non-catalyzed lacquers
Sher-Wood Super Kemvar Coatings	1, 2 - Catalyzed Vinyl								Better chemical resistance; "close-to-the-wood" look
Sher-Wood Kemvar Conversion Varnish	1, 6 - Conversion Varnish								High solids varnish - Meets KCMA requirements
Sher-Wood Water White Varnish	1, 6 - Conversion Varnish								Water white, non-yellowing - Meets KCMA requirements
Sher-Wood Kemvar LF	1, 6 Conversion Varnish								Low formaldehyde, water white, non-yellowing. Meets KCMA requirements
Sher-Wood Natural Filler	12 - Alkyd Filler	■							Semi-paste, fills open grained wood
Sher-Wood Homoclad Sealer	3, 4 - Alkyd								Tough, moisture-resistant, penetrating type sealer
Sher-Wood Wood Surface	2, 4 - Nitrocellulose		■		■			Surfacer	Fast dry, excellent filling
Sher-Wood Vinyl Primer Surfacer	2, 4 - Vinyl		■					Surfacer	Fast dry, good moisture resistance
Sher-Wood Kemvar Primer Surfacer	6, 4 - Catalyzed		■					Surfacer	Excellent filling, used under pigmented conversion varnish
Sher-Wood Pigmented Conv Varnish	1, 6 - Pigmented Catalyzed		■		■				Full hiding - Full color and gloss range
Sher-Wood Vinyl Basecoat	1, 4, 5, 10 - Vinyl		■	■	■				Spray stains, basecoats, ground coats - Full color line
Sher-Wood Millwork Primers	4, 7, 8 - Latex		■						Fast dry latex white for millwork
Opex L61 Stains	1, 2, 8 - Nitrocellulose								Full hiding nitrocellulose lacquers
Sher Wood Vinyl Sealers	2, 4 solvent based								Fast drying, good moisture resistance. Opaque white available
Sher Wood Penetrating Oil	1, 17 Solvent based					■		Mixing vehicle	Oil finish or mixing vehicle to make stains
S.W. Universal Dye Concentrates	5 Solvent/water based			■					Ultra-high strength mono line, solvent and water reducible
S.W. Kem Aqua Lacquer	1, 4 water based					■			Water based clear system meets KCMA
S.W. Catalyzed Lacquer (pre cat)	1, 2 Solvent based								Fast drying, high performance conversion lacquer
S. W. Kem Aqua Lacq Sanding Sealer	4 Water based					■			Water reducible sealer
S. W. Kem Aqua Pigmented lacquer	1, 8 Water based					■			Fast drying, complete color line, interior wood, meets KCMA
S. W. K. A. Pigmented lacquer Primer	4 Water based		■						Prime Interior wood, helps prevent tannin bleed
Sher-Wood Glaze	5 Solvent based			■					Creates variety of decorative application techniques
S.W. Ultra-Cure UV Curable Coating	1, 3, 4, 10, 13 Solv, Water based	■	■	■		■			Complete line of UV-curable coatings for wood
Sher Wood Kem Aqua Plus	1, Water-based					■			Water-based system, meets KCMA
Sher Wood Simplicity Stain	5, Solvent-based				■				Achieve deep, dark colors in less steps than traditional methods.
<b>Target Coatings, P.O. Box 1582 Rutherford, NJ 07070 Tel: (800) 752-9922 Fax: (201) 939-0518</b>									
EmTech EM8800 Sealer	4, 10, 17					■			High build applications
EmTech EM8000 CV	1, 2, 17					■			Waterborne conversion varnish
EM9300 Polycarbonate	1, 2, 17					■			Exterior grade clear coat
Oxford Ultima Lacquer	1, 2, 17					■			Water-based acrylic lacquer
Oxford UltimaSeal-WB	4, 5, 10					■			Water-based shellac sealer
Oxford SuperClear	1, 2, 17					■			Water-based urethane topcoat
Oxford Ultima Varnish	1, 2, 17					■			Water-based brushing varnish
Oxford HSF Filler	4, 10, 17	■							Non-shrinking grain filler
Oxford Hybrid Linseed Oil	4, 5, 10				■				Water-reducible stain system
<b>Van Technologies Inc., 5791 Bergquist Road, Duluth, MN 55804 Tel: (218) 525-9424 Fax: (218) 525-5594</b>									
Van Aqua 220 Series	5			■					Many color variations available. Water-based
Van Aqua 480M Series	1					■			Water-based urethane topcoat
Van Aqua 280M	1					■			Water-based acrylic topcoat
Van Aqua 240 Series	10					■			Water-based sealer, clear and tinted versions
Van Aqua 200WP	4		■						Water-based white wood primer
Van Ultra 540	10					■			100% solids UV-curable sealer
Van Ultra 580 Series	1, 10					■			100% solids UV-curable topcoat
<b>Wood-Kote Products Inc., 8000 N.E. 14th Place, Portland, OR 97211 Tel: (800) 843-7666 or (503) 285-8371 or Fax: (503) 285-8374</b>									
Crystal Kote Lacquer	2					■			Interior brushing lacquer
Ultra Poly Kote, FloorEver	1, 6					■			Low VOC interior polyurethane
Flagship UV	1, 6					■			Low VOC exterior polyurethane
WoodPerfect	12	■							Paste grain filler
Lite-N-Up	9							Wood bleach	2 component pre-mix wood bleach
Jel'd Stain, Jel'd Stain 550	5			■					Gelled stain
Liquid Stain 550	5			■					Low VOC liquid stain
Trans Kote	2, 4		■						Stainable primer for use with Wood Kote stains
SprayLaq 680 Sealer & Base Kote	2, 4		■		■				Low VOC sanding sealer and lacquer for HVLP sprayers
BrushLaq 680	2					■			Low VOC brushing lacquer
KatLaq 680 Vinyl Sealer	2, 4					■			Low VOC moisture resistant sealer
Sta-Wax Wood Polish & Lemon Oil	17							Polish	Cleans and polishes wood finishes
Korrek-O	17							Colorant	15 Colors for use with Wood Kote stains and lacquers
Macro & Mint Tint	17							Measure	5 & 1 measuring device for colorants & additive
183080 Stain, Kote, Glaze Kote	5			■				Stain, Stain, Glaze	Wood dye stains & glaze
Clear and Clean	1						■		Low VOC, water-based polyurethane. Also available catalyzed for floors

**TYPE CODE:** Numbers in "Type of Finish" column are keyed to use descriptions below:

1. Topcoat	4. Primer	7. Exterior Paint	10. Basecoats	13. U/V Curable Filler	16. Powder Coating
2. Lacquer	5. Stain	8. Interior Paint	11. Ink	14. Putty	17. Other
3. Enamel	6. Varnish	9. Bleach	12. Filler	15. Electron Beam Curable Coating	