

Size/Model #	Arbor	Cutter	Construction	Table Size	Cutter Power	Drive	Speeds	Hold Downs	Part Capacity	Accessories	Climb Angle	Min. Square	Min. Circle	Max. Square	Max. Circle	Special Features
Adwood Corp., P.O. Box 1195, High Point, NC 27261 Tel: (336) 884-1846 Fax: (336) 841-6493																
Casolin F90	1-1/4"		Cast & steel	47" x 30"	9	Belt	5 speed	Spring		Electric lift opt., electric program w/100 memory	90°					Changeable spindles fence, digitals.
Casolin F90C	1-1/4"		Cast & steel	47" x 30"	9	Belt	5 speed	Spring		Same	90					Sliding table, chang. spindles, fence digitals.
Casolin F90TL	1-1/4"		Cast & steel	47" x 30"	9	Belt	5 speed	Spring		Same	90					Tenoning carriage, chang. spindles, fence digitals.
Casolin F90 HSK	1-1/4"		Cast & steel	47" x 30"	9	Belt	5 speed	Spring		Electric program w/400 memory	90					Automated w/LCD touchscreen ISO quick change.
Casolin F45	1-1/4"		Cast & steel	51" x 30"	12	Belt	5 speed	Spring		Electric program w/400 memory	-10° to 45°					Tenoning carriage electronic back fence, digitals.
Casolin F45 HSK	1-1/4"		Cast & steel	51" x 30"	12	Belt	5 speed	Spring		Electric program w/400 memory	-10° to 45°					Automated w/LCD touchscreen ISO quick change.
Atlantic Machinery Corp., 36 South End Plaza, New Milford, CT 06776 Tel: (860) 354-7200 Fax: (860) 354-0315																
Paoloni T112	Interchang.	Up to 12"	Cast iron/steel	47" x 27-1/2"	6.6 - 7.5 hp	Belt	3000, 4300, 6000, 7000, 10500	Spring CE		Single Phase Motor	90°					Interchangeable spindle, magnetic spindle brake, reverse spindle switch.
Paoloni TX 112	Same	Up to 12"	Same	47" x 27-1/2"	6.6 - 7.5 hp	Belt	Same	Spring CE		Same, 0-45° tilt	0-45°					Same.
Paoloni T112 CF	Same	Up to 12"	Same	47" x 29"	6.6 - 7.5 hp	Belt	Same	Spring CE			90°					Same + tenoning table.
Paoloni T160	Same	Up to 12"	Same	47-1/4" x 30-3/4"	9 hp	Belt	3000, 4500, 6000, 8000, 10000	Spring CE		12 hp elevated control panel	Same					Same as T112.
Paoloni TX 160	Same	Up to 12"	Same	Same	9 hp	Belt	Same	Spring CE		Same	-45° to 45°					Same + tilting spindle.
Paoloni T160CF	Same	Up to 12"	Same	47-1/4" x 32-3/4"	9 hp	Belt	3000, 4300, 6000, 7000, 10500	Spring CE		Same	90°					Same + tenoning table.
Paoloni T112 TX112 7T112CF					6.6 -7.5/hp											
Cantek America Inc., PMB #104, 1124 Fir Ave., Blaine, WA 98230 Tel: (888) 982-2683 Fax: (604) 540-1780																
SS512CB	Interchangeable	Up to 13"	Cast iron & steel	31.5" x 39.4"	7.5 hp	Belt	5 speed	Yes		Finger fence	90°					Interchang. spindles digital height.
SS512CSB	Same-	Up to 13"	Cast & steel	31.5" x 39.4"	7.5 hp	Belt	5 speed	Yes		Finger fence	90°					Sliding table.
SS512TB	Same-	Up to 13"	Cast & steel	31.5" x 39.4"	7.5 hp	Belt	5 speed	Yes		Finger fence	-5° - 45°					Same as 512CB.
PS515	Quick Change	Up to 14"	Cast iron & steel	51" x 33"	10 hp	Belt	5 speed	Yes		Finger fence add. quick change spindles	90°					PLC control, quick change spindle.
Extrema Machinery Co., Inc., P.O. Box 1450, Albany, LA 70711 Tel: (225) 567-3876 Fax: (225) 567-2966																
XT-110	1/2, 3/4, 1		Cast	29-1/4" x 25-1/2"	3 hp	Belt	7500, 10,000	Spring/steel								Router collect Micro adj. fence.
XT-150	1-1/4		Cast	48" x 36"	7-1/2 hp	Belt	6000, 7500, 9500	Spring/steel								Foot brake micro adj. fence.
XT-160	1-1/4		Cast	48" x 36"	10 hp	Belt	6000, 7500, 9500	Spring/steel								Same as above plus digital spindle.
Felder USA, 2 Lukens Drive, Ste. 300, New Castle, DE 19720 Tel: (866) 792-5288 Fax: (302) 322- 9865																
F700Z	Quick Change	9"		35" x 39"	4-10 hp	Poly V belt	4 speeds	Opt.		Ext. tables, outrigger						Rear tilt.
F900	Quick Change	12"		51" x 43"	7.5-13 hp	Poly V belt	4 speeds	Opt.		Ext. tables, outrigger						Programmable height/angle.
Format-4 Profil	Quick Change	12"		51" x 43"	7.5-10 hp	Poly V belt	4 speeds	Opt.		Ext. tables, outrigger						Electric fence w/ tilt away.
Grizzly Industrial Inc., 1203 Lycoming, Mall Circle, Muncy, PA 17756 Tel: (800) 523-4777 Fax: (800) 438-5901																
G1026	1/2", 3/4", 1"	Up to 5-1/2"	Cast iron stand, steel cabinet	30-1/2" x 28-1/4"	3 hp, 220V, 1-PH	V-belt	7000, 10000	2		Max Cutter Height 2"	Spindles for router bits, sanding, ext.					Interchangeable spindles, price
G1035	1/2", 3/4"	Up to 5"	Same	20-1/4" x 18"	1.5 hp, 110/220V	V-belt	7000, 10000	2		Max Cutter Height 2"	Router bit spindle, ext. wing					See above.
G7215Z	3/4", 1", 1-1/4"	5-7/8"	Same	35-1/2" x 28"	7.5 hp, 220V, 3-PH	V-belt	3600, 5100, 8000, 10000	4		Max Cutter Height 2-3/4"	Heavy-duty mobile base, 440V conversion kit					Tilting spindle, pedestal mounted switch.
G8621	3/4", 1", 1-1/4"	5-7/8"	Same	35-1/2" x 28"	5 hp, 220V, 1-PH	V-belt	3600, 5100, 8000, 10000	2		Max Cutter Height 5"	Heavy-duty mobile base					Sliding table, table clamp, miter fence.
G5913Z	3/4", 1", 1-1/4"	5-7/8"	Same	35-1/2" x 28"	5 hp, 220V, 1-PH	V-belt	3600, 5100, 8000, 10000	4		Max Cutter Height 2-3/4"	Heavy-duty mobile base					Tilting spindle, pedestal mounted switch.
G7214Z	3/4", 1", 1-1/4"	5-7/8"	Same	35-1/2" x 28"	7.5 hp, 220V, 3-PH	V-belt	3600, 5100, 8000, 10000	4		Max Cutter Height 5"	Heavy-duty mobile base, 440V conversion kit					4 holds downs, t-slot in table, tall spindle.
G5912Z	3/4", 1", 1-1/4"	5-7/8"	Same	35-1/2" x 28"	5 hp, 220V, 1-PH	V-belt	3600, 5100, 8000, 10000	4		Max Cutter Height 5"	Heavy-duty mobile base					4 hold downs, t-slot in table, tall spindle.
G8622	3/4", 1", 1-1/4"	5-7/8"	Same	35-1/2" x 28"	5 hp, 220V, 1-PH	V-belt	3600, 5100, 8000, 10000	2		Max Cutter Height 5"	Heavy-duty mobile base					Sliding table, table clamp, miter fence.
G0608X	1-1/4"	10"	Same	47-1/4" x 35-1/2"	7.5 hp, 220V, 3-PH	V-belt	3900, 5000, 7200, 9400	4		Max Cutter Height 6"	440V conversion kit					Tilting spindle, adv. dust coll.
G9933	1-1/4"	6"	Same	Each side: 17" x 32" x 13-1/2"	3 hp (x3), 220V, 1-PH	V-belt	7000, 10000	6		Max Cutter Height 4-9/16"	3/4" & 1/2" spindles, router bit spindle					3 spindles powdr by 3 motors.
G9968	1-1/4"	11-3/4"	Same	91-3/4" x 33-1/4"	7.5 hp, 220V, 3-PH	V-belt	5500, 7500, 10000	4		Max Cutter Height 5.5"	440V conversion kit					Extra long table, weighs over 1,500 lbs.

SOLID WOOD MACHINING

Size/Model #	Arbor	Cutter	Construction	Table Size	Cutter Power	Drive	Speeds	Hold Downs	Part Capacity	Accessories	Climb Angle	Min. Square	Min. Circle	Max. Square	Max. Circle	Special Features	
Jenkins Systems, 2803 S. Taylor Drive, Sheboygan Falls, WI 53081 Tel: (920) 467-4674 Fax: (920) 452-2338																	
SSDM CNC	1 1/4"	Stackable insert	1800 lb welded base	48" and opt. 98"	75-10.5 hp	Direct AC variable speed	5,000-9,200 rpm	Pneumatic clamp	48" (96"opt) length x 1-3/4" thick	Auto. tool changer, back fence						CNC machining center for cabinet doors. Intuitive op. touchscreen.	
DSDM CNC	HSK 63F quick chan.	Counter rotating stack, insert	1800 lb welded base	48" and opt. 98"	13 hp	Direct AC variable speed	5,000-9,200 rpm	Pneumatic clamp	48" (96"opt) length x 1-3/4" thick	Auto. tool changer, back fence						Same plus counter rotating spindles.	
Laguna Tools, 17101 Murphy Ave., Irvine, CA 92614 Tel: (800) 234-1976 or (949) 474-1200 Fax: (949) 471-0150																	
TS	3/4", 50mm	16" max.	Cast iron & steel	47 x 27 2 x EXT 2 x 18 x 24	10 hp		3000, 4500, 6000, 7000, 10,000										
T800	1-1/4"	10-1/2"	Cast iron & steel	32 x 32	5 hp	Belt	1400, 3500, 6000, 8000	5" spring		Feedor	5° to 45°					Reversible tilt spindle. 850 lbs.	
T1002	1-1/4"	10-1/2"	Cast iron & steel	39.3 x 25.6	5 hp	Belt	4000, 6000, 8000	7" spring		Feedor	90° to 45°					Alum. slider fence	
Lobo Machinery Corp., 13731 Proctor Ave., City of Industry, CA 91746 Tel: (626) 369-6500 Fax: (626) 369-6677																	
SP-30	3/4", 1"		Cast iron & Steel	28" x 30"	3 or 5 hp	Belt	8,000, 10,000 rpm	Yes		Dust hood							
SP-145	3/4", 1" 1-1/4"		Cast iron & Steel	33" x 27"	5 hp	Belt	7500, 10,000 rpm	Yes		Dust hood						Sliding table.	
SP-475	3/4", 1" 1-1/4"		Cast iron & Steel	39" x 27"	7.5 hp	Belt	3,000, 4,500, 6,000, 10,000 rpm	Yes		Dust hood							
SP-910	3/4", 1" 1-1/4"		Cast iron & Steel	98" x 27"	10 hp	Belt	900-1000 rpm	Yes		Dust hood						Extension table.	
CS-1C	1-1/4"	4"-8"	Cast iron & Steel	Conveyor	7.5 hp	Belt	See above	Rolls		Auto feed						Floating table, sanding head.	
CS-1C2S	1-1/4"	4"-8"	Cast iron	Conveyor	7.5, 2.2 hp & Steel	Belt		Rolls		Auto feed						Floating table	
CS-55	1-1/4"	4" PAAU	Cast iron	57" x 13"	10 hp & Steel	Belt		Pneumatic	Max 55" L	Auto feed						Auto template copy, stack-	
CS-10002	1-1/4"	4"-8"	Cast iron	72" dia.	10 hp x 2	Belt	9000 rpm	Pneumatic	Max 100 in" dia.	Tong Clamp				75"	100"	Auto template copy	
CS-0040 mag.	1-1/4"	4"-8" DS	Cast iron	27" dia.	10 hp x 2 & Steel	Belt		Pneumatic	Max.	Auto feed	22 x 26"	5"	5"	22"	22"	Auto template Copy, feed	
Martin Woodworking Machines Corp., 8107 Arrowridge Blvd., Ste. M, Charlotte, NC 28273 Tel: (704) 525-3963 Fax: (704) 525-3443																	
Martin T-27 Flex	1-1/4 - 1-1/2" titable ±45.5°		Cast iron, concrete	48.5" x 35.5"	6.4/7.8/10/13	110 volt electronic control circuit; speed; indicator lights	4 speeds 3000/6000/4500/9000	Yes		Sliding table opt.						Germany. Vibration-free, rotation speed adj. by belt change & auto tensioning device micrometer; adj. fence.	
Martin T-27 Fix	1-1/4 - 1-1/2"		Cast iron, concrete	44.3" x 33.5"	6.4/7.8/10/13		4 speeds 3000/6000/4500/9000	Yes		Ext. table w/adj. front support							
Mikron Woodworking Machinery, 1588 Hwy. 60, Renfrew, ON, Canada K7V 3Z6 Tel: (800) 496-4589 Fax: (613) 432-9061																	
M652							0-30 fpm, 7.5 hp	Spring									
M645							0-30 fpm, 5 hp	Spring									
Mini Max USA, 2475 Satellite Blvd., Duluth, GA 30096 Tel: (770) 813-8818 or (800) 292-1850 Fax: (770) 813-8819																	
Mini Max T40 N	1-1/4" Solid	1-1/4" Solid	Cast Iron	34" x 22"	4.8 hp	Belt	1700, 4000,	pressure		Opt. Sliding table and tenoning hood						Microadjustable in feed and out feed fence. T slot in the table, reversing.	
Mini Max Formula T1	Interchangeable 1-1/4 No. 5 MT Spindle		Cast Iron	47" x 29"	9 hp	Belt	3000, 4500, 6000, 8000, 10000	Clamp		Lateral tenoning, linear bearing carriage w/ hood						Mechanical brake, reversing, mitre slot with mitre gauge, spindle locking handle.	
Mini Max 50T	1-1/4" solid Interchang.		Cast Iron	42" x 25"	6.6 hp	Belt	1700, 4000, 7000, 9600	Spring Clamp on Sl. table		Sliding table standard						Sliding table, rev. micro, adj., infeed and outfeed fence.	
Mini Max T50 I	1-1/4" solid Interchang.		Cast Iron	42" x 25"	6.6 hp	Belt	1700, 4000, 7000, 9600	Pressure		Tilting arbor standard						Tilting arbor, rev. scale for height and tilt.	
Mini Max T50 TI	1-1/4" solid Interchang.		Cast Iron	42" x 25"	6.6 hp	Belt	1700, 4000, 7000, 9600	Spring Clamp on Sl. table		Tilting arbor sliding table						Sliding table, tilting arbor, reversing, side ext. tables.	
Mini Max T50 N	1-1/4" solid Interchang.		Cast Iron	34" x 22"	3.6 or 4.8 hp	Belt	1700, 4000, 7000, 9600	Pressure								Microadjustable in/out feed fence T slot in the table, reversing.	
Mini Max T50 N/T	1-1/4" solid Interchang.		Cast Iron	34" x 22"	3.6 or 4.8 hp	Belt	1700, 4000, 7000, 9600	Spring Clamp on Sl. table		Sliding table standard						Sliding table, ten. hood, 3 table insert openings, telescopic fence w/2 removable reference stops.	
Northfield Foundry & Machine Co. Inc., 320 N. Water St., P.O. Drawer 140, Northfield, MN 55057 Tel: (507) 645-5641 Fax: (507) 645-4005																	
Single spindle hand	3/4, 7/8, 1 1-1/8, 1-1/4 solid and detachable	8000 rpm CW or CCW reversing avail.	Cast iron	36 in. x 26 in. or 42 in. x 42 in.	2.3, 5.7-1/2, 10 & 15 hp TEFC	Belt	8000 rpm	Spring loaded	Up to 7" under nut	Fences, miter gauges						U.S. origin. Options: table ext. fences; brakes; miter gauge & dovetail slots; NEMA 12 electric; reversing spindles	
Double spindle hand	1-3/8 & 1-1/2 solid	8000 rpm RH spindle CCW LH spindle	Cast iron	30 in. x 60 in. & 30 in. x 66 in. or 42 in. x 84 in.		Belt	8000 rpm	Spring loaded									
Powermatic Corp., WMH Tool Group, 2420 Vantage Drive, Elgin, IL 61024 Tel: (847) 851-1000 Fax: (847) 851-1045																	
Model 25A	1/2", 3/4", 1"		Steel frame, cast iron table	29-1/4 x 25-1/2	3hp 1hp or 5hp 3hp	Belt	7500-10,000	Std.	3-1/2" undernut	Spindle						Reversing switch.	
Model 29	3/4" - 1" - 1-1/4"		Cast iron table, steel	27-5/8 x 35-1/2	5 hp, 3 ph	Belt	3,000, 4,000, 6,000, 8,000, 10,000	Std.	6" under nut	Spindle						Tilting spindle dual dust.	
TS 29	3/4, 1, 1-1/4		Cast iron table, steel	33-1/2 x 51-1/2	7.5 HP	Belt	3000 4000 6000, 8000, 10,000	Std.	6" under nut		-5, +45					Sliding table w/ miter head, digital readouts on fence; 7" vert. spindle travel; speed indicator on panel front.	
PM2700	1/2", 3/4", 1" 1-1/4", 30mm		Steel Frame, Cast Iron Table	40" x 30"	3hp 1hp, or 5hp 1 or 3hp	Belt	7500 and 10,000	Featherboards	6"	1/2", 1/4" Router Collets, Other spindles						Retractable casters, Digital readout	

Size/Model #	Arbor	Cutter	Construction	Table Size	Cutter Power	Drive	Speeds	Hold Downs	Part Capacity	Accessories	Climb Angle	Min. Square	Min. Circle	Max. Square	Max. Circle	Special Features
Riebling Machinery, 1511 Rte. 22, Ste. 309, Brewster, NY 10509 Tel: (845) 915-0058 Fax: (845) 350-5848																
F230	1-1/4"		Steel & cast	1200 x 750	9 hp	Belt	2900, 4400 6000, 8000	Yes					100		220	Sliding carriage.
F250	1-1/4"		Steel & cast	1200 x 750	9 hp 12 hp	Belt	2900, 4400 6000, 8000	Yes		Quick change spindle HSK			100		220	Sliding carriage 2 axis control.
Ritter Mfg. Inc., 1300B W. 4th St., Antioch, CA 94509 Tel: (925) 757-7296 Fax: (925) 757-7083																
R-10	1 1/4" solid	6"	Steel, cast aluminum	30" x 36"	3 hp 1 ph, 5 hp 3 ph & 7-1/2 hp	Belt	8600 rpm		Unlimited	R-10TE tenon attachment; R15 double- end coping; R16 double- end miter						Made in America.
R-11	1-1/4"	8"	Steel, cast aluminum	30" x 36"	7-1/2 hp or 10 hp	Belt	4500, 6000 8400 rpm		Unlimited	Same						Made in America.
R-30	1 1/4" solid	6"	Steel, cast aluminum	52" x 68"	5 hp 3 ph, 7-1/2 hp 3 ph & 3 hp 1 ph optional	Belt	8600 rpm		Unlimited	R-10TE tenoning attachment						Made in America.
R1175C	1-1/4"	6"	Steel & cast	30" x 36"	7.5 hp	Belt	6,000-9,000	1	2-1/4"x14"							Sliding carriage.
R1175ST	1-1/4"	6"	Steel & cast	30" x 36"	7.5 hp	Belt	6,000-9,000	1	0-8"							Short stock feeder.
R12QC	HSKFG3		Steel & cast	30" x 36"	10 hp	Direct	6,000-20,000									Quick change spindles.
SCM Group North America, 2475-B Satellite Blvd., Duluth, GA 30096 Tel: (770) 813-8818 Fax: (770) 813-8819																
TF 110 Nova	1-1/4" inter- changeable		Cast iron/ steel	48" x 29"	9 hp	Belt	3,000, 4,500 6,000, 8,000, 10,000	Spring		Opt. accessories: Infeed & out- feed ext. tables tenon attach- ments, alum. fences	90°					Mechanical readout for spindle height, adjustable fence, reverse rotation
TI 115 Nova	1-1/4" inter- changeable		Cast iron/ steel	40" x 30"	9 hp	Belt	3,000, 4,500 6,000, 8,000, 10,000	Spring		Same as above	-5°/+45° tilting					Mechanical readout for spindle height, & tilt scale, (2) mech. fence readouts adj. reverse rotation
TF 130 Class	1-1/4" inter- changeable		Cast iron/ steel	48" x 29"	9 hp	Belt	3,000, 4,500 6,000, 8,000, 10,000	Spring		Same as above	90°					Mechanical readout for spindle height, (2) mechanical fence readouts adjustable, reverse rotation
TF 130 PS Class	1-1/4" inter- changeable		Cast iron/ steel	44" x 42"	9 hp	Belt	3,000, 4,500 6,000, 8,000, 10,000	Manual Clamp		Same as above	90°					Same as above
TI 155 Class	1-1/4" inter- changeable		Cast iron/ steel	47" x 31"	10 hp Electro- spindle	Inverter	900-12,000	Spring		Opt. accessories: Infeed & out- feed ext. tables tenon attach.	-45°/+45° tilting					Mechanical readout for spindle height, & tilting, (2) mechanical fence readouts adj. reverse rotation
TF 130 E-3	1-1/4" inter- changeable		Cast iron/ steel	48" x 29"	9 hp	Belt	3,000, 4,500 6,000, 8,000, 10,000	Spring		Same as above	90°					Programmable/ powered positioning of spindle and fence movements up to 300 programs, swingaway aluminum fence & manual sectional table
TF 135 EP Class 4 HSK	1-1/4" inter- changeable		Cast iron/ steel	48" x 29"	10 hp Electro- spindle	Inverter	900-12,000	Spring		Same as above	90°					Overarm controller programmable/ powered positioning of spindle and fence movements up to 300 programs, swingaway aluminum fence, manual sectional table and HSK tool holders for fast setups.
TI 155 E-Y Class	1-1/4" inter- changeable		Cast iron/ steel	48" x 31"	10 hp Electro- spindle	Inverter	900-12,000	Spring		Same as above	-45°/+45° tilting					Programmable/ powered positioning of spindle and fence movements up to 300 programs, swingaway aluminum fence and manual sectional table.
TI 155 EP5 Class HSK	1-1/4" inter- changeable		Cast iron/ steel	48" x 31"	10 hp Electro- spindle	Inverter	900-12,000	Spring		Optional accessories: infeed & outfeed extension tables, tenon attachments	-45°/+45° tilting					Overarm controller programmable/ powered positioning of spindle and fence movements up to 300 programs, swingaway aluminum fence, prog. sectional table, HSK tool holder for fast setups.
T2600 LInvincible	1-1/4" inter- changeable		Cast iron/ steel	48" x 31"	13.5 hp Electro- spindle	Inverter	900-12,000	Spring		Same as above	-45°/+45° tilting					Overarm touch- screen color graphic controller, prog. powered positioning of spindle, fence movements & feeder support arm up to 959 programs, swingaway aluminum fence, prog. sectional table, HSK tool holders for fast setups.
Charles GG Schmidt & Co., 301 W. Grand Ave., Montvale, NJ 07645 Tel: (800) 724-6438 Fax: (201) 391-3565																
MM100	1-1/4"	4" dia x 6"			5 hp	Variable	6000		6"x7"			4"			6-1/2"	
Silver Machine Inc., 160 W. Beaver Creek Road, Unit 3, Richmond Hill, ON L4B 1B4 Canada Tel: (888) 354-3388 Fax: (905) 881-8193																
SFS-630M	1-1/4"		Cast iron	29.6"x39.6"	5	4-speed pulley	3000, 4500 7500, 10000	Spring			90°		Interchang.	MK5		Spindles.
SFS-630MS	1-1/4"		Cast iron	29.6"x39.6"	5	4-speed pulley	3000, 4500 7500, 10000	Spring			90°					Sliding table.
SFS-630T	1-1/4"		Cast iron	29.6"x39.6"	5	Same	Same	Spring			0-45°					Tilting spindles.

SOLID WOOD MACHINING

SHAPER REFERENCE GUIDE

Size/ Model #	Arbor	Cutter	Construction	Table Size	Cutter Power	Drive	Speeds	Hold Downs	Part Capacity	Accessories	Climb Angle	Min. Square	Min. Circle	Max. Square	Max. Circle	Special Features
Silver Machine Inc., 160 W. Beaver Creek Road, Unit 3, Richmond Hill, ON L4B 1B4 Canada Tel: (888) 354-3388 Continued																
SFS-630TS	1-1/4"		Cast iron	29.6"x39.6"	5	Same	Same	Spring			0-45°					Tilting spindles & sliding table.
SFS-730M	1-1/4"		Cast iron	45"x33.6"	7.5	4-speed pulley	3000, 4500 7500, 10000	Spring			90°					Foot spindle brake
SFS-730MS	1-1/4"		Cast iron	45"x33.6"	7.5	4-speed pulley	3000, 4500 7500, 10000	Spring			90°					Sliding table.
SFS-730T	1-1/4"		Cast iron	45"x33.6"	7.5	4-speed pulley	3000, 4500 7500, 10000	Spring			0-45°					Tilting spindles.
SFS-730TS	1-1/4"		Cast iron	45"x33.6"	7.5	4-speed pulley	3000, 4500 7500, 10000	Spring			0-45°					Tilting spindles & sliding table.
SFS-830M	1-1/4"		Cast iron	36.5"x48"	10	4-speed pulley	3000, 4500 7500, 10000	Spring			90°					Foot spindle brake & foot spindle lock.
SFS-830MS	1-1/4"		Cast iron	36.5"x48"	10	4-speed pulley	3000, 4500 7500, 10000	Spring			0-45°					Sliding table.
Solid Wood Systems Inc., 3202 E. Kivett Drive, High Point, NC 27260 Tel: (336) 884-0700 Fax: (336) 887-6650																
Balestrini C70-N	35 mm		Cast iron		10 hp	Hydraulic		Roller			45°					
Balestrini CP100	35 mm		Cast iron		15 hp	Hydraulic		Pneumatic			45°					
Balestrini CPHSC	40 mm		Cast iron		15 hp	CNC		Pneumatic			90°					
Balestrini Junior	35 mm		Cast iron		10 hp	Hydraulic		Pneumatic			45°					
Tech Mark Inc., 7901 Industry Drive, North Little Rock, AR 72117 Tel: (800) 787-6747 Fax: (501) 945-0312																
Rojek FSN300F	3/4, 1, 1-1/4 spindles interchange	Up to 8" diameter	Cast iron steel cabinet	40 x 19	3.6 or 6.0 hp	Belt	1,400, 3,500 6,000, 8,000 10,000	Spring feather-board		Opt. sliding table & tenon hood						Interchangeable spindle, reversing switch.
Rojek FSN300FA	See above	Up to 8" diameter	See above	40 x 26	3.6 or 6.0 hp	Belt	See above	Ecc. clamp woodpress		Sliding table standard						Same plus format style sliding table.
Rojek FSN300	See above	Up to 8" diameter	See above	40 x 19	3.6 or 6.0 hp	Belt	1,400, 3,500 6,000, 8,000 10,000	Spring feather-board		Tilt arbor std., opt sliding table						Tilting arbor, inter. change, spindle reversing switch.
Rojek FSN300A	See above	Up to 8" diameter	See above	40 x 26	3.6 or 6.0 hp	Belt	See above	Ecc. clamp woodpress		Tilt arbor & sliding table						Same plus format style sliding table.
US Concepts Inc., 1120 Ridge Ave., Lombard, IL 60148 Tel: (630) 268-9117 Fax: (630) 268-9117																
Arch Shaper FAS	1-1/4" - 5"	6-1/2" dia. x 5"	Welded frame, cast cast iron table	31" x 49"	7-1/2 hp 10 hp opt.	Variable speed	7000 rpm 16000	Spring loaded rollers	6" width 3-1/2" height	Axial adj. powered hold down rollers						Fixed radius attachment.
Arch Shaper FAS-106	1-1/4" - 6"	6-1/2" dia. x 6"	Welded frame, cast iron table	31" x 49"	10 hp	Belt	6,500 rpm	Gas spring rollers	6" x 3 1/2"	Axial adjus. 7 driven feed rollers						
Hauncher CHA-8	40mm x 8"	8" x 8" dia.	Welded frame, cast iron	12" x 28"	10 hp	Belt	6,000 rpm	Pneumatic	6"	Back and side fences						Table up/down movement, speed adj. table.
Unique Machine & Tool Co., 4232 East Magnolia St., Phoenix, AZ 85034 Tel: (602) 470-1911 Fax: (602) 470-1916																
Model 250GT2	1-1/4"	Up to 8" dia.	Steel	48" to 66"	5 hp	Belt	8000	Air operated		Template cutters						Safety hold-downs X/Y table.
Model 250GT2X5		Up to 8" dia.	Steel	48"	5 hp	Belt	8000	Air operated		Template cutters						Same as above.

RED BOOK
ONLINE

The resource for woodworking equipment, supplies and services trends

RedBookOnline.com

POWERED BY **Woodworking NETWORK**